



NACC UNIFORM DATA SET **LBD MODULE**

Data Template For Follow-up Visit Packet

**LBD Module, August 2017
UDS Version 3.0, March 2015**

Copyright© 2017 University of Washington.
Created and published by the LBD work group of
the ADC Program (James Galvin, MD, PhD, Chair)
and the National Alzheimer's Coordinating Center
(Walter A. Kukull, PhD, Director). All rights
reserved.

This publication was funded by the National
Institutes of Health through the National
Institute on Aging (Cooperative Agreement U01
AG016976).

INTRODUCTION

Data Template

FOR NACC UNIFORM DATA SET (UDS) **LBD MODULE** FOLLOW-UP VISIT PACKET (FVP)

This template is designed to help the ADC Data Cores develop software for submitting UDS LBD Module data to NACC. The template details the data element names, type of data element, columns for ASCII file submission, and item number.

This template is needed only for ASCII batch file submissions. Centers using web data entry or Web E-forms will not need this template.

A more detailed description of each data element is found in the data element dictionary. Data elements are listed by form and, within form, by item number.

Please note:

- The first 10 data elements are the same for each template, for each form. They are required and are shaded on the template. They must have legal values, or the form cannot be processed.
- There is exactly one blank space required between the data fields of adjacent variables. Although a data field may in some cases contain one or more blanks, the required separator blank must still be included. Column assignments and column alignment must be maintained.
- In some cases, the item number in the template does not appear on the form. This is true for most “Other (specify)” text items and dates.

Form Header elements

The first 10 data elements in each form are:

| | |
|--------------------------------|---|
| PACKET | FL (For the Follow-up Visit Packet, LBD Module) |
| FORMID | Form ID (i.e., B1L, B2L, B3L, etc.) |
| FORMVER | 3 (For this third version of the UDS.) |
| ADCID | Center ID (Same number used in the MDS and NP data for your Center; see the UDS Data Element Dictionary for a list of Center IDs.) |
| PTID | Patient ID (Follow your Center's Patient ID scheme. Patient ID must be unique within the data set from your Center. For each subject, the PTID must be the same across all visits in the UDS. In addition, the same PTID used for that subject in the MDS and NP databases. PTID cannot change once it has been assigned by your Center. Since this is a character field, be sure to include/exclude leading zeroes to match ID numbers in all data sets.) |
| VISITMO VISITDAY VISITYR | Actual date of the interview (Cannot precede 06/01/2017.) |
| VISITNUM | Visit ID (Assigned by your Center, need not start with 1.) |
| INITIALS | Examiner initials (Initials of the person conducting the interview.) |

Form B1L: Clinical Symptoms and Exam

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|---------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | LBSSALIV | N | 1 |
| 1 | 47 | LBSSWALL | N | 2 |
| 1 | 49 | LBSINSEX | N | 3 |
| 1 | 51 | LBSRSEX | N | 4 |
| 1 | 53 | LBSWEIGH | N | 5 |
| 1 | 55 | LBSSMELL | N | 6 |
| 1 | 57 | LBSSWEAT | N | 7 |
| 1 | 59 | LBSTOLCD | N | 8 |
| 1 | 61 | LBSTOLHT | N | 9 |
| 1 | 63 | LBSDBVIS | N | 10 |
| 1 | 65 | LBSCONST | N | 11 |
| 1 | 67 | LBSHDSTL | N | 12 |
| 1 | 69 | LBSLSSTL | N | 13 |
| 1 | 71 | LBSUBLAD | N | 14 |
| 1 | 73 | LBSUSTRM | N | 15 |
| 1 | 75 | LBSUPASS | N | 16 |
| 1 | 77 | LBSDZSTU | N | 17 |
| 1 | 79 | LBSDZSTN | N | 18 |
| 1 | 81 | LBSFAINT | N | 19 |
| 2 | 83–84 | LBSPSYM | N | 20 |
| 3 | 86–88 | LBPSYAGE | N | 21 |
| 3 | 90–92 | LBSSUPSY | N | 22 |
| 3 | 94–96 | LBSSUPDI | N | 23 |

Form B1L: Clinical Symptoms and Exam (cont.)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 3 | 98–100 | LBSUPHT | N | 24 |
| 3 | 102–104 | LBSSTNSY | N | 25 |
| 3 | 106–108 | LBSSTNDI | N | 26 |
| 3 | 110–112 | LBSSTNHT | N | 27 |
| 3 | 114–116 | LBSAGERM | N | 28 |
| 3 | 118–120 | LBSAGESM | N | 29 |
| 3 | 122–124 | LBSAGEGT | N | 30 |
| 3 | 126–128 | LBSAGEFL | N | 31 |
| 3 | 130–132 | LBSAGETR | N | 32 |
| 3 | 134–136 | LBSAGEBR | N | 33 |
| 1 | 138 | LBSSCLAU | N | 34 |
| 1 | 140 | LBSSCLVR | N | 34a |
| 30 | 142–171 | LBSSCLOT | C | 34a1 |
| 3 | 173–175 | LBSSCOR | N | 34b |

Form B2L: UPDRS Part II — Activities of Daily Living

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 1 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | LBUDSPCH | N | 1 |
| 1 | 47 | LBUDSALV | N | 2 |
| 1 | 49 | LBUDSWAL | N | 3 |
| 1 | 51 | LBUWRITE | N | 4 |
| 1 | 53 | LBUDFOOD | N | 5 |
| 1 | 55 | LBUDRESS | N | 6 |
| 1 | 57 | LBUDHYGN | N | 7 |
| 1 | 59 | LBUDTURN | N | 8 |
| 1 | 61 | LBUDFALL | N | 9 |
| 1 | 63 | LBUDFRZ | N | 10 |
| 1 | 65 | LBUDWALK | N | 11 |
| 1 | 67 | LBUDTREM | N | 12 |
| 1 | 69 | LBUDSENS | N | 13 |

Form B3L: UPDRS Part III — Motor Examination

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | LBUMSPCH | N | 1 |
| 60 | 47–106 | LBUMSPCX | C | 1a |
| 1 | 108 | LBUMFACE | N | 2 |
| 60 | 110–169 | LBUMFACX | C | 2a |
| 1 | 171 | LBUMTRFA | N | 3a |
| 60 | 173–232 | LBUTRFAX | C | 3a1 |
| 1 | 234 | LBUMTRRH | N | 3b |
| 60 | 236–295 | LBUTRRHX | C | 3b1 |
| 1 | 297 | LBUMTRLH | N | 3c |
| 60 | 299–358 | LBUTRLHX | C | 3c1 |
| 1 | 360 | LBUMTRRF | N | 3d |
| 60 | 362–421 | LBUTRRFX | C | 3d1 |
| 1 | 423 | LBUMTRLF | N | 3e |
| 60 | 425–484 | LBUTRLFX | C | 3e1 |
| 1 | 486 | LBUMATRH | N | 4a |
| 60 | 488–547 | LBUATRHX | C | 4a1 |
| 1 | 549 | LBUMATLH | N | 4b |
| 60 | 551–610 | LBUATLHX | C | 4b1 |
| 1 | 612 | LBUMRGNK | N | 5a |
| 60 | 614–673 | LBURGNKX | C | 5a1 |
| 1 | 675 | LBUMGRU | N | 5b |
| 60 | 677–736 | LBURGRUX | C | 5b1 |
| 1 | 738 | LBUMRGLU | N | 5c |

Form B3L: PDRS Part III — Motor Examination (cont.)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 60 | 740–799 | LBURGLUX | C | 5c1 |
| 1 | 801 | LBUMRGRL | N | 5d |
| 60 | 803–862 | LBURGLRX | C | 5d1 |
| 1 | 864 | LBUMRGLL | N | 5e |
| 60 | 866–925 | LBURGLLX | C | 5e1 |
| 1 | 927 | LBUMFTRH | N | 6a |
| 60 | 929–988 | LBUFTRHX | C | 6a1 |
| 1 | 990 | LBUMFTLH | N | 6b |
| 60 | 992–1051 | LBUFTLHX | C | 6b1 |
| 1 | 1053 | LBUMHMRH | N | 7a |
| 60 | 1055–1114 | LBUHMRHX | C | 7a1 |
| 1 | 1116 | LBUMHMLH | N | 7b |
| 60 | 1118–1177 | LBUHMLHX | C | 7b1 |
| 1 | 1179 | LBUMPSRH | N | 8a |
| 60 | 1181–1240 | LBUPSRHX | C | 8a1 |
| 1 | 1242 | LBUMPSLH | N | 8b |
| 60 | 1244–1303 | LBUPSLHX | C | 8b1 |
| 1 | 1305 | LBUMLGRL | N | 9a |
| 60 | 1307–1366 | LBULGRLX | C | 9a1 |
| 1 | 1368 | LBUMLGLL | N | 9b |
| 60 | 1370–1429 | LBULGLLX | C | 9b1 |
| 1 | 1431 | LBUMRISE | N | 10 |
| 60 | 1433–1492 | LBUMRISX | C | 10a |
| 1 | 1494 | LBUMPOST | N | 11 |
| 60 | 1496–1555 | LBUMPOSX | C | 11a |
| 1 | 1557 | LBUMGAIT | N | 12 |
| 60 | 1559–1618 | LBUMGAIX | C | 12a |
| 1 | 1620 | LBUPSTBL | N | 13 |
| 60 | 1622–1681 | LBUPSTBX | C | 13a |
| 1 | 1683 | LBUMBRAD | N | 14 |
| 60 | 1685–1744 | LBUMBRAX | C | 14a |
| 1 | 1746 | LBUMHNYR | N | 15 |
| 60 | 1748–1807 | LBUMHNYX | C | 15a |

Form B4L: Neuropsychiatric Inventory (NPI)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|------------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | LBDELUS | N | 1 |
| 1 | 47 | LBDHURT | N | 1a |
| 1 | 49 | LBDSTEAL | N | 1b |
| 1 | 51 | LBDAFFR | N | 1c |
| 1 | 53 | LBDGUEST | N | 1d |
| 1 | 55 | LBDIMPOS | N | 1e |
| 1 | 57 | LBDHOME | N | 1f |
| 1 | 59 | LBDABAND | N | 1g |
| 1 | 61 | LBDPRES | N | 1h |
| 1 | 63 | LBDOTHER | N | 1i |
| 1 | 65 | LBDELFRQ | N | 1j |
| 1 | 67 | LBDELSEV | N | 1k |
| 1 | 69 | LBDELDST | N | 1l |
| 1 | 71 | LBHALL | N | 2 |
| 1 | 73 | LBHVOICE | N | 2a |
| 1 | 75 | LBHPEOPL | N | 2b |
| 1 | 77 | LBHNOTPR | N | 2c |
| 1 | 79 | LBHODOR | N | 2d |
| 1 | 81 | LBHFEEL | N | 2e |
| 1 | 83 | LBHTASTE | N | 2f |
| 1 | 85 | LBHOTSSEN | N | 2g |
| 1 | 87 | LBHALFRQ | N | 2h |
| 1 | 89 | LBHALSEV | N | 2i |

Form B4L: Neuropsychiatric Inventory (NPI) (cont.)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 1 | 91 | LBHALDST | N | 2j |
| 1 | 93 | LBANXIET | N | 3 |
| 1 | 95 | LBANEVNT | N | 3a |
| 1 | 97 | LBANRELX | N | 3b |
| 1 | 99 | LBANBRTH | N | 3c |
| 1 | 101 | LBANBUTT | N | 3d |
| 1 | 103 | LBANPLAC | N | 3e |
| 1 | 105 | LBANSEPR | N | 3f |
| 1 | 107 | LBANOTHR | N | 3g |
| 1 | 109 | LBANXFRQ | N | 3h |
| 1 | 111 | LBANXSEV | N | 3i |
| 1 | 113 | LBANXDST | N | 3j |
| 1 | 115 | LBAPATHY | N | 4 |
| 1 | 117 | LBAPSPNT | N | 4a |
| 1 | 119 | LBAPCONV | N | 4b |
| 1 | 121 | LBAPAFF | N | 4c |
| 1 | 123 | LBAPCHOR | N | 4d |
| 1 | 125 | LBAPINT | N | 4e |
| 1 | 127 | LBAPFAML | N | 4f |
| 1 | 129 | LBAPINTR | N | 4g |
| 1 | 131 | LBAPOTH | N | 4h |
| 1 | 133 | LBAPAFRQ | N | 4i |
| 1 | 135 | LBAPASEV | N | 4j |
| 1 | 137 | LBAPADST | N | 4k |
| 1 | 139 | LBDOPAM | N | 5 |
| 3 | 141–143 | LBDAGE | N | 5a1 |
| 6 | 145–150 | LBDDRUG1 | C | 5a2 |
| 30 | 152–181 | LBDDOSE1 | C | 5a3 |
| 3 | 183–185 | LBDAGE2 | N | 5a4 |
| 6 | 187–192 | LBDDRUG2 | C | 5a5 |
| 30 | 194–223 | LBDDOSE2 | C | 5a6 |
| 3 | 225–227 | LBDELAGE | N | 6a |
| 1 | 229 | LBDELMED | N | 6b |
| 6 | 231–236 | LBDELMD1 | C | 6c |

Form B4L: Neuropsychiatric Inventory (NPI) (cont.)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 6 | 238–243 | LBDELMD2 | C | 6d |
| 3 | 245–247 | LBHALAGE | N | 7a |
| 1 | 249 | LBHALMED | N | 7b |
| 6 | 251–256 | LBHALMD1 | C | 7c |
| 6 | 258–263 | LBHALMD2 | C | 7d |
| 3 | 265–267 | LBANXAGE | N | 8a |
| 1 | 269 | LBANXMED | N | 8b |
| 6 | 271–276 | LBANXMD1 | C | 8c |
| 6 | 278–283 | LBANXMD2 | C | 8d |
| 3 | 285–287 | LBAPAAGE | N | 9a |
| 1 | 289 | LBAPAMED | N | 9b |
| 6 | 291–296 | LBAPAMD1 | C | 9c |
| 6 | 298–303 | LBAPAMD2 | C | 9d |

Form B5L: Mayo Fluctuations Scale

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1-2 | PACKET | C | |
| 3 | 4-6 | FORMID | C | |
| 3 | 8-10 | FORMVER | N | |
| 2 | 12-13 | ADCID | N | |
| 10 | 15-24 | PTID | C | |
| 2 | 26-27 | VISITMO | N | |
| 2 | 29-30 | VISITDAY | N | |
| 4 | 32-35 | VISITYR | N | |
| 3 | 37-39 | VISITNUM | C | |
| 3 | 41-43 | INITIALS | C | |
| 1 | 45 | LBMLTHRG | N | 1 |
| 1 | 47 | LBMSLEEP | N | 2 |
| 1 | 49 | LBMDISRG | N | 3 |
| 1 | 51 | LBMSTARE | N | 4 |

Form B6L: Mayo Sleep Questionnaire — Participant

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| | | | | |
| 1 | 47 | LBSPCGIM | N | 0 |
| 1 | 49–50 | LBSPDRM | N | 1 |
| 2 | 52–53 | LBSPYRS | N | 1a1 |
| 2 | 53 | LBSPMOS | N | 1a2 |
| 1 | 55 | LBSPINJS | N | 1b |
| 1 | 57 | LBSPINJP | N | 1c |
| 1 | 59 | LBSPCHAS | N | 1d |
| 1 | 61 | LBSPMOVE | N | 1e |
| 1 | 63 | LBSPLEGS | N | 2 |
| 1 | 65 | LBSPNERV | N | 3 |
| 1 | 67 | LBSPURGL | N | 3a |
| 1 | 69 | LBSPSENS | N | 3b |
| 1 | 71 | LBSPWORS | N | 3c |
| 1 | 73 | LBSPWALK | N | 4 |
| 1 | 75 | LBSPAWAK | N | 5 |
| 1 | 77 | LBSPBRTH | N | 6 |
| 1 | 79 | LBSPTRT | N | 6a |
| 1 | 81 | LBSPCRMP | N | 7 |
| 2 | 83–84 | LBSPALRT | N | 8 |

Form B7L: Mayo Sleep Questionnaire — Co-participant

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| | | | | |
| 1 | 45 | LBSC LIV | N | 1 |
| 1 | 47 | LBSCSLP | N | 2 |
| 1 | 49 | LBSCBEHV | N | 2a |
| 1 | 51 | LBSCDRM | N | 3 |
| 2 | 53–54 | LBSCYRS | N | 3a1 |
| 2 | 56–57 | LBSCMOS | N | 3a2 |
| 1 | 59 | LBSCINJS | N | 3b |
| 1 | 61 | LBSCINJP | N | 3c |
| 1 | 63 | LBSCCHAS | N | 3d |
| 1 | 65 | LBSCMOVE | N | 3e |
| 1 | 67 | LBSCLEGS | N | 4 |
| 1 | 69 | LBSCNERV | N | 5 |
| 1 | 71 | LBSCSENS | N | 5a |
| 1 | 73 | LBSCWORS | N | 5b |
| 1 | 75 | LBSCWALK | N | 6 |
| 1 | 77 | LBSCAWAK | N | 7 |
| 1 | 79 | LBSCBRTH | N | 8 |
| 1 | 81 | LBSCTRT | N | 8a |
| 1 | 83 | LBSCCRMP | N | 9 |
| 2 | 85–86 | LBSCALRT | N | 10 |

Form B8L: SCOPA Sleep — Participant

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| | | | | |
| 1 | 45 | PACOGIMP | N | 0 |
| 1 | 47 | PANSFALL | N | 1 |
| 1 | 49 | PANSWKOF | N | 2 |
| 1 | 51 | PANSLYAW | N | 3 |
| 1 | 53 | PANSWKER | N | 4 |
| 1 | 55 | PANSLTTL | N | 5 |
| 1 | 57 | SCPARATE | N | 6 |
| 1 | 59 | PADSUNEX | N | 7 |
| 1 | 61 | PADSSITP | N | 8 |
| 1 | 63 | PADSWATV | N | 9 |
| 1 | 65 | PADSTALK | N | 10 |
| 1 | 67 | PADSAWDY | N | 11 |
| 1 | 69 | PADSFLDY | N | 12 |

Form B9L: SCOPA Sleep — Co-participant

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | CONSFALL | N | 1 |
| 1 | 47 | CONSWKOF | N | 2 |
| 1 | 49 | CONSLYAW | N | 3 |
| 1 | 51 | CONSWKER | N | 4 |
| 1 | 53 | CONSLTTL | N | 5 |
| 1 | 55 | SCCORATE | N | 6 |
| 1 | 57 | CODSUNEX | N | 7 |
| 1 | 59 | CODSSITP | N | 8 |
| 1 | 61 | CODSWATV | N | 9 |
| 1 | 63 | CODSTALK | N | 10 |
| 1 | 65 | CODSAWDY | N | 11 |
| 1 | 67 | CODSFLDY | N | 12 |
| 1 | 69 | SCCOFRST | N | 13 |
| 3 | 71–73 | SCCOAGEN | N | 14 |
| 3 | 75–77 | SCCOAGED | N | 15 |
| 1 | 79 | SCCOCOMP | N | 16 |
| 1 | 81 | SCCOSCVR | N | 16a |
| 30 | 83–112 | SCCOOTH | C | 16a1 |
| 3 | 114–116 | SCCOSCOR | N | 16b |

Form C1L: Neuropsychological Battery Scores

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1-2 | PACKET | C | |
| 3 | 4-6 | FORMID | C | |
| 3 | 8-10 | FORMVER | N | |
| 2 | 12-13 | ADCID | N | |
| 10 | 15-24 | PTID | C | |
| 2 | 26-27 | VISITMO | N | |
| 2 | 29-30 | VISITDAY | N | |
| 4 | 32-35 | VISITYR | N | |
| 3 | 37-39 | VISITNUM | C | |
| 3 | 41-43 | INITIALS | C | |
| | | | | |
| 3 | 45-47 | LBNSWORD | N | 1a |
| 3 | 49-51 | LBNSCOLR | N | 1b |
| 3 | 53-55 | LBNSCLWD | N | 1c |
| 2 | 57-58 | LBNPFACE | N | 2a |
| 2 | 60-61 | LBNPNOIS | N | 2b |
| 2 | 63-64 | LBNPTCOR | N | 2c |
| 2 | 66-67 | LBNPPARD | N | 2d |

Form E1L: Genetics

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | LBGNEWGN | N | 1 |
| 1 | 47 | LBGLRRK2 | N | 2 |
| 1 | 49 | LBGLRKIS | N | 2a |
| 1 | 51 | LBGPARK2 | N | 3 |
| 1 | 53 | LBGPK2IS | N | 3a |
| 1 | 55 | LBGPARK7 | N | 4 |
| 1 | 57 | LBGPK7IS | N | 4a |
| 1 | 59 | LBGPINK1 | N | 5 |
| 1 | 61 | LBGPNKIS | N | 5a |
| 1 | 63 | LBGSNCA | N | 6 |
| 1 | 65 | LBGSNCIS | N | 6a |
| 1 | 67 | LBGGBA | N | 7 |
| 1 | 69 | LBGGBAIS | N | 7a |
| 1 | 71 | LBGOTHR | N | 8 |
| 1 | 73 | LBGOTHIS | N | 8a |
| 30 | 75–104 | LBGOTHX | C | 8a1 |

Form E2L: Neuroimaging Available and Findings

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | LBISMRI | N | 1 |
| 2 | 47–48 | LBISMMO | N | 1a1 |
| 2 | 50–51 | LBISMDY | N | 1a2 |
| 4 | 53–56 | LBISMYR | N | 1a3 |
| 1 | 58 | LBISMQAV | N | 1b |
| 1 | 60 | LBISMHIP | N | 1c |
| 1 | 62 | LBISMAVL | N | 1d |
| 1 | 64 | LBISMDCM | N | 1e |
| 30 | 66–95 | LBISMFMT | C | 1e1 |
| 1 | 97 | LBISMADN | N | 1f |
| 10 | 99–108 | LBISMVER | C | 1f1 |
| 1 | 110 | LBISMMAN | N | 1g |
| 30 | 112–141 | LBISMOM | C | 1g1 |
| 1 | 143 | LBISMSTR | N | 1h |
| 30 | 145–174 | LBISMOS | C | 1h1 |
| 1 | 176 | LBIFPET | N | 2 |
| 2 | 178–179 | LBIFPMO | N | 2a1 |
| 2 | 181–182 | LBIFPDY | N | 2a2 |
| 4 | 184–187 | LBIFPYR | N | 2a3 |
| 1 | 181 | LBIFPQAV | N | 2b |
| 1 | 183 | LBIFPOCC | N | 2c |
| 1 | 185 | LBIFPTPP | N | 2d |
| 1 | 187 | LBIFPISL | N | 2e |

Form E2L: Neuroimaging Available and Findings (cont.)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 1 | 189 | LBIFPAVL | N | 2f |
| 1 | 191 | LBIFPCDM | N | 2g |
| 30 | 193–222 | LBIFPFMT | C | 2g1 |
| 1 | 224 | LBIFPADN | N | 2h |
| 10 | 226–235 | LBIFPVER | C | 2h1 |
| 1 | 237 | LBIFPMAN | N | 2i |
| 30 | 239–268 | LBIFPOM | C | 2i1 |
| 1 | 270 | LBIAPET | N | 3 |
| 2 | 272–273 | LBIAPMO | N | 3a1 |
| 2 | 275–276 | LBIAPDY | N | 3a2 |
| 4 | 278–281 | LBIAPYR | N | 3a3 |
| 1 | 275 | LBIAPQAV | N | 3b |
| 1 | 277 | LBIAPAVL | N | 3c |
| 1 | 279 | LBIAPDCM | N | 3d |
| 30 | 281–310 | LBIAPFMT | C | 3d1 |
| 1 | 312 | LBIAPLIG | N | 3e |
| 30 | 314–343 | LBIAPOL | C | 3e1 |
| 1 | 345 | LBIAPADN | N | 3f |
| 10 | 347–356 | LBIAPVER | C | 3f1 |
| 1 | 358 | LBIAPMAN | N | 3g |
| 30 | 360–389 | LBIAPOM | C | 3g1 |
| 1 | 391 | LBITPET | N | 4 |
| 2 | 393–394 | LBITPMO | N | 4a1 |
| 2 | 396–397 | LBITPDY | N | 4a2 |
| 4 | 399–402 | LBITPYR | N | 4a3 |
| 1 | 396 | LBITPQAV | N | 4b |
| 1 | 398 | LBITPAVL | N | 4c |
| 1 | 400 | LBITPCDM | N | 4d |
| 30 | 402–431 | LBITPFMT | C | 4d1 |
| 1 | 433 | LBITPLIG | N | 4e |
| 30 | 435–464 | LBITPOL | C | 4e1 |
| 1 | 466 | LBITPADN | N | 4f |
| 10 | 468–477 | LBITPVER | C | 4f1 |
| 1 | 479 | LBITPMAN | N | 4g |
| 30 | 481–510 | LBITPOM | C | 4g1 |

Form E2L: Neuroimaging Available and Findings (cont.)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 1 | 512 | LBIDATS | N | 5 |
| 2 | 514-515 | LBIDSMO | N | 5a1 |
| 2 | 517-518 | LBIDSDY | N | 5a2 |
| 4 | 520-523 | LBIDSYR | N | 5a3 |
| 1 | 517 | LBIDSQAV | N | 5b |
| 1 | 519 | LBIDSABN | N | 5c |

Form E3L: Other Labs and Findings

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | LBOPOLYS | N | 1 |
| 2 | 47–48 | LBOPOSMO | N | 1a1 |
| 2 | 50–51 | LBOPOSDY | N | 1a2 |
| 4 | 53–56 | LBOPOSYR | N | 1a3 |
| 1 | 58 | LBOPOPOS | N | 1b |
| 1 | 60 | LBOPOAVL | N | 1c |
| 1 | 62 | LBOCMIBG | N | 2 |
| 2 | 64–65 | LBOCMMO | N | 2a1 |
| 2 | 67–68 | LBOCMDY | N | 2a2 |
| 4 | 70–73 | LBOCMYR | N | 2a3 |
| 1 | 75 | LBOCMPOS | N | 2b |
| 1 | 77 | LBOCMAVL | N | 2c |
| 1 | 79 | LBOANOS | N | 3 |
| 2 | 81–82 | LBOANMO | N | 3a1 |
| 2 | 84–85 | LBOANDY | N | 3a2 |
| 4 | 87–90 | LBOANYR | N | 3a3 |
| 1 | 92 | LBOANPOS | N | 3b |
| 1 | 94 | LBOANAVL | N | 3c |
| 1 | 96 | LBOANVER | N | 3d |
| 30 | 98–127 | LBOANOTH | C | 3d1 |
| 1 | 129 | LBOEEG | N | 4 |
| 2 | 131–132 | LBOEGMO | N | 4a1 |
| 2 | 134–135 | LBOEGDY | N | 4a2 |

Form E3L: Other Labs and Findings (cont.)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 4 | 137–140 | LBOFYR | N | 4a3 |
| 1 | 142 | LBOEGPOS | N | 4b |
| 1 | 144 | LBOEGAVL | N | 4c |
| 1 | 146 | LBOMSLT | N | 5 |
| 2 | 148–149 | LBOMSMO | N | 5a1 |
| 2 | 151–152 | LBOMSDY | N | 5a2 |
| 4 | 154–157 | LBOMSYR | N | 5a3 |
| 1 | 159 | LBOMSPOS | N | 5b |
| 1 | 161 | LBOMSAVL | N | 5c |
| 1 | 163 | LBOTILT | N | 6 |
| 2 | 165–166 | LBOTLMO | N | 6a1 |
| 2 | 168–169 | LBOTLDY | N | 6a2 |
| 4 | 171–174 | LBOTLYR | N | 6a3 |
| 1 | 176 | LBOTLPOS | N | 6b |
| 1 | 178 | LBOTLAVL | N | 6c |
| 1 | 180 | LBOQSART | N | 7 |
| 2 | 182–183 | LBOQSMO | N | 7a1 |
| 2 | 185–186 | LBOQSDY | N | 7a2 |
| 4 | 188–191 | LBOQSYR | N | 7a3 |
| 1 | 193 | LBOQSPOS | N | 7b |
| 1 | 195 | LBOSGAVL | N | 7c |
| 1 | 197 | LBOTHERM | N | 8 |
| 2 | 199–200 | LBOTHMO | N | 8a1 |
| 2 | 202–203 | LBOTHDY | N | 8a2 |
| 4 | 205–208 | LBOTHYR | N | 8a3 |
| 1 | 210 | LBOTHPOS | N | 8b |
| 1 | 212 | LBOTHAVL | N | 8c |
| 1 | 214 | LBOCGAIT | N | 9 |
| 2 | 216–217 | LBOCGMO | N | 9a1 |
| 2 | 219–220 | LBOCGDY | N | 9a2 |
| 4 | 222–225 | LBOCGYR | N | 9a3 |
| 1 | 227 | LBOCGPOS | N | 9b |
| 1 | 229 | LBOCGAVL | N | 9c |

Form D1L: Clinical DLB and PD Features

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|---------------|----------------------|--------|
| 2 | 1–2 | PACKET | C | |
| 3 | 4–6 | FORMID | C | |
| 3 | 8–10 | FORMVER | N | |
| 2 | 12–13 | ADCID | N | |
| 10 | 15–24 | PTID | C | |
| 2 | 26–27 | VISITMO | N | |
| 2 | 29–30 | VISITDAY | N | |
| 4 | 32–35 | VISITYR | N | |
| 3 | 37–39 | VISITNUM | C | |
| 3 | 41–43 | INITIALS | C | |
| 1 | 45 | LBCDSCOG | N | 1 |
| 1 | 47 | LBCM MEM | N | 1a |
| 1 | 49 | LBCCLANG | N | 1b |
| 1 | 51 | LBCCATT | N | 1c |
| 1 | 53 | LBCCEXDE | N | 1d |
| 1 | 55 | LBCCVIS | N | 1e |
| 1 | 57 | LBCDSMOV | N | 2 |
| 1 | 59 | LBCM BRAD | N | 2a |
| 1 | 61 | LBCM RIGD | N | 2b |
| 1 | 63 | LBCM RTRM | N | 2c |
| 1 | 65 | LBCM PTRM | N | 2d |
| 1 | 67 | LBCM ATRM | N | 2e |
| 1 | 69 | LBCM MYOC | N | 2f |
| 1 | 71 | LBCM GAIT | N | 2g |
| 1 | 73 | LBCM PINS | N | 2h |
| 1 | 75 | LBCDSBEV | N | 3 |
| 1 | 77 | LBCBDEP | N | 3a |
| 1 | 79 | LBCBAPA | N | 3b |
| 1 | 81 | LBCBANX | N | 3c |
| 1 | 83 | LBCBHALL | N | 3d |
| 1 | 85 | LBCBDEL | N | 3e |
| 1 | 87 | LBCDSAUT | N | 4 |
| 1 | 89 | LBCAREM | N | 4a |

Form D1L: Clinical DLB and PD Features (cont.)

| Variable length | Variable columns | Variable name | Character or numeric | Item # |
|-----------------|------------------|-----------------|----------------------|--------|
| 1 | 91 | LBCAAPN | N | 4b |
| 1 | 93 | LBCALGSL | N | 4c |
| 1 | 95 | LBCARSLE | N | 4d |
| 1 | 97 | LBCADTSL | N | 4e |
| 1 | 99 | LBCACGFL | N | 4f |
| 1 | 101 | LBCAHYPT | N | 4g |
| 1 | 103 | LBCACONS | N | 4h |
| 1 | 105 | LBCAHYPS | N | 4i |
| 1 | 107 | LBCAFALL | N | 4j |
| 1 | 109 | LBCASYNC | N | 4k |
| 1 | 111 | LBCASNAP | N | 4l |
| 1 | 113 | LBCOGST | N | 5 |
| 1 | 115 | LBCOGDX | N | 6 |