

You Say BPSD.... I Say NPS

- Depression
- Anxiety
- Apathy
- Circadian/Sleep Disturbance
- Agitation
- Aggression
- Delusions
- Hallucinations







BPSD/NPS Important Role of the ADCs

	Severity of Cognitive Impairment		
	Mild	Moderate	Severe
Sad Mood	54%	58%	63%
Sleep Problems	48%	44%	50%
Agitation	49%	55%	67%
Aggression	10%	19%	31%
Psychosis	26%	47%	59%

Lopez et al. 2003





BPSD / NPS - Impact

- Increased Family Distress
- **Greater Cognitive Impairment**
- More Rapid Cognitive and Functional Decline
- Premature Institutionalization
- Premature Mortality
- Limited Response to Medication





BPSD/NPS Survey of ADC Clinical Cores

- What Behavioral Rating Scales (in Addition to UDS-3) Do You Use in Your Clinical Core
- Do You Use Other Types of Measures of Behavior
- How Often Are Behavioral Ratings Performed in the Clinical Core





BPSD / NPS – Todays Talks

- Measurement of BPSD/NPS
 - Paul Rosenberg
- Neuroimaging of BPSD/NPS
 - David Sulzer
- Fluid Biomarkers of BPSD/NPS
 - Elaine Peskind
- Neuropathology of BPSD/NPS
 - Julia Kofler







Rising Star Data Blitz

- Shannon Risacher, Indiana
- Hussein Yassine, USC
- David Irwin, Penn
- Neelesh Nadkarni, Pitt
- Judy Pa, USC



