



NATIONAL ALZHEIMER'S COORDINATING CENTER

Guide to the online query system

Copyright© 2016 University of Washington. Created and published by the National Alzheimer's Coordinating Center (Walter A. Kukull, PhD, Director). All rights reserved.

This publication was funded by the National Institutes of Health through the National Institute on Aging (Cooperative Agreement U01 AG016976).

Introduction

Query system applications

With NACC's query system, you can create frequency tables of data from:

- the Uniform Data Set
- the FTLD Module
- Genetics data
- Imaging data
- the Neuropathology Data Set

These tables can help you determine quickly whether NACC is likely to have the subjects you're looking for in numbers sufficient to address your research question.

PLEASE NOTE that these should be used only as rough, preliminary numbers. For publication purposes, or if your query requires more detailed information, please make a [custom data request](#).

How to use the query system

Creating a frequency table is simple. Depending on your specific interests, you can make variable selections for **row** only; **row** and **column**; or **row**, **column**, and **page**. (Note that some variables are available only as a row option or only as row or column.) **Page** will generate a separate table for each output category of a query selection. For example, selecting "Sex" for page will generate one table for men and another table for women.

After making your selections, click "SUBMIT" to create a table or "RESET" to clear your selections and start over.

About this guide

This guide is intended to be the initial resource for researchers using NACC's online query system. It provides detailed information on the query selection categories, including the source variable(s) and source document(s). This will allow you to easily link the query selection categories to their original data source. The source documents for NACC data are described on the next page.

Source documents for NACC data

For more information about the data elements, please consult the linked references below. In the pages that follow, these are referred to by their abbreviations in blue.

- RDD-UDS* **Researcher's Data Dictionary – Uniform Data Set**
Brings together information for the original data-collection instruments for all past and current UDS form versions.
- DED-UDS v3* **Data Element Dictionary – Uniform Data Set v3**
Defines every variable in a given form in the order in which it appears from version 3.0 of the UDS.
- DED-FTLD v2* **Data Element Dictionary – FTLD Module v2**
Defines every variable in a given form in the order in which it appears from version 2.0 of the FTLD Module
- RDD-NP* **Researcher's Data Dictionary – Neuropathology Data Set**
Brings together information from all the original data-collection instruments (Coding Guidebooks and Forms) for all past and current versions of the NP Form.
- DED-CSF* **Data Element Dictionary – CSF Biomarker Data Set**
Includes data on UDS participants who have CSF values for A-beta, P-tau, and T-tau.
- RDD-Imaging* **Researcher's Data Dictionary – Imaging Data**
Includes MRI and PET variables (e.g., year of MRI scan, year of amyloid PET scan) associated with DICOM files stored at NACC. Also included are MRI variables that provide volume values (e.g., hippocampal volume) for the subset of DICOM files stored at NACC for which volumetric analysis has been completed.
- RDD-Genetics* **Researcher's Data Dictionary – Genetic Data**
Describes variables that contain either genetic data (APOE genotype) or information about the availability of genetic data that can be obtained, by request, from the Alzheimer's Disease Genetics Consortium (ADGC) or the National Institute of Aging Genetics of Alzheimer's Disease Data Storage Site (NIAGADS).

Query selection categories

PARTICIPANT'S FOLLOW-UP CHARACTERISTICS

UDS visits completed

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCAVST (<i>RDD-UDS</i>)
Changes to source variable for query system	Yes
Additional details	Categorizes RDD-UDS variable NACCAVST (total number of all UDS visits made)
Output categories	1 visit 2 visits ≥3 visits

PARTICIPANT DEMOGRAPHICS

Age

Cross-sectional or visit-based	Visit-based — initial visit or most recent visit
Source variable(s) (source document(s))	NACCAGE (<i>RDD-UDS</i>)
Changes to source variable for query system	Yes
Additional details	Categorizes RDD-UDS variable NACCAGE (participant's age at visit)
Output categories	<60 60-69 70-79 80-89 ≥90

Sex

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	SEX (<i>RDD-UDS</i>)
Changes to source variable for query system	No
Additional details	N/A
Output categories	Male Female

Race

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCNHR (<i>RDD-UDS</i>)
Changes to source variable for query system	No
Additional details	N/A
Output categories	White Black or African American American Indian or Alaskan Native Native Hawaiian or Pacific Islander Asian

Multiracial
Unknown or ambiguous

Hispanic ethnicity

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	HISPANIC <i>(RDD-UDS)</i>
Changes to source variable for query system	No
Additional details	N/A
Output categories	Yes No Unknown

Primary language

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	PRIMLANG <i>(RDD-UDS)</i>
Changes to source variable for query system	No
Additional details	N/A
Output categories	English Spanish Mandarin Cantonese Russian Japanese Other primary language Unknown

Years of education

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	EDUC <i>(RDD-UDS)</i>
Changes to source variable for query system	Yes
Additional details	Categorizes RDD-UDS variable EDUC (years of education)
Output categories	≤12 years 13-16 years >16 years

CDR® PLUS NACC FTLD

Global CDR®

Cross-sectional or visit-based	Visit-based — initial visit or most recent visit
Source variable(s) (source document(s))	CDRGLOB <i>(RDD-UDS)</i>
Changes to source variable for query system	No
Additional details	N/A
Output categories	0.0 — no impairment 0.5 — questionable impairment 1.0 — mild impairment 2.0 — moderate impairment 3.0 — severe impairment

NACC FTLD – Behavior, comporment, and personality

Cross-sectional or visit-based	Visit-based — initial visit or most recent visit
Source variable(s) (source document(s))	COMPORT <i>(RDD-UDS)</i>
Changes to source variable for query system	No
Additional details	N/A
Output categories	0.0 — no impairment 0.5 — questionable impairment 1.0 — mild impairment 2.0 — moderate impairment 3.0 — severe impairment Not collected/unknown

NACC FTLD – Language

Cross-sectional or visit-based	Visit-based — initial visit or most recent visit
Source variable(s) (source document(s))	CDRLANG <i>(RDD-UDS)</i>
Changes to source variable for query system	No
Additional details	N/A
Output categories	0.0 — no impairment 0.5 — questionable impairment 1.0 — mild impairment 2.0 — moderate impairment 3.0 — severe impairment Not collected/unknown

COGNITIVE STATUS

Cognitive status

Cross-sectional or visit-based	Visit-based — initial visit or most recent visit
Source variable(s) (source document(s))	NACCUUSD <i>(RDD-UDS)</i>
Changes to source variable for query system	No
Additional details	N/A
Output categories	Normal cognition Impaired not MCI MCI Dementia

PRIMARY CLINICAL DIAGNOSIS

Primary clinical diagnosis

Cross-sectional or visit-based	Visit-based — initial visit or most recent visit
Source variable(s) (source document(s))	NACCETPR <i>(RDD-UDS)</i>
Changes to source variable for query system	Yes
Additional details	Edited original NACCETPR variable to include individuals with normal cognition
Output categories	Alzheimer's disease (AD) Lewy body disease (LBD) Multiple system atrophy (MSA)

Progressive supranuclear palsy (PSP)
 Corticobasal degeneration (CBD)
 FTLD with motor neuron disease (e.g., ALS)
 FTLD, other (e.g., bvFTD, PPA)
 Vascular brain injury or vascular dementia including stroke
 Essential tremor
 Down syndrome
 Huntington's disease
 Prion disease (CJD, other)
 Traumatic brain injury (TBI)
 Normal-pressure hydrocephalus (NPH)
 Epilepsy
 CNS neoplasm
 Human immunodeficiency virus (HIV)
 Other neurologic, genetic, or infectious condition
 Depression
 Bipolar disorder
 Schizophrenia or other psychosis
 Anxiety disorder
 Delirium
 Post-traumatic stress disorder (PTSD)
 Other psychiatric disease
 Cognitive impairment due to alcohol abuse
 Cognitive impairment due to other substance abuse
 Cognitive impairment due to systemic disease or medical illness
 Cognitive impairment due to medications
 Cognitive impairment for other/unknown reasons (i.e., written-in values)
 Normal cognition

FTLD MODULE

FTLD Module visits completed

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source documents(s))	Created for query system
Changes to source variable for query system	N/A
Additional details	N/A
Output categories	0 visits 1 visit ≥2 visits

Participant/family has known FTLD mutation (MAPT, PGRN, C9ORF72, FUS)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	FFTDMUT (<i>DED-UDS V3</i>) FTDPMUT (<i>DED-FTLD V2</i>)
Changes to source variable for query system	Yes

Additional details	Combines responses from FFTDMUT and FTDP MUT from the most recent visit where the variables are non-missing data.
Output categories	MAPT PGRN C9ORF72 FUS Other FTL D mutation No mutation/unknown

FTLD type, most recent FTL D Module visit

Cross-sectional or visit-based	Visit-based — most recent FTL D visit
Source variable(s) (source document(s))	NACCFTD <i>(RDD-UDS)</i> NACCUSD <i>(RDD-UDS)</i> CORTIF <i>(RDD-UDS)</i> PSPIF <i>(RDD-UDS)</i> FTLDMOIF <i>(RDD-UDS)</i> FTL DNOIF <i>(RDD-UDS)</i> FTDIF <i>(RDD-UDS)</i> PPAPHIF <i>(RDD-UDS)</i>
Changes to source variable for query system	Yes
Additional details	Ascertained FTL D type from CORTIF, PSPIF, FTLDMOIF, FTL DNOIF, FTDIF, and PPAPHIF from the most recent FTL D Module visit, accounting for cognitive status, for UDS participants with one or more FTL D Module visits completed.
Output categories	CBD (normal cognition, MCI, or dementia) PSP (normal cognition, MCI, or dementia) FTL D with motor neuron disease (e.g., ALS) (normal cognition, MCI, or dementia) FTL D other (e.g., bvFTD, PPA) (MCI or dementia) Non-FTL D MCI or dementia (e.g., AD) Normal cognition and no FTL D No FTL D Module visits

GENETICS

APOE genotype available at NACC

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCAPOE <i>(RDD-GENETICS)</i>
Changes to source variable for query system	Yes
Additional details	Indicator of APOE genotype availability at NACC
Output categories	Yes No

APOE genotype

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCAPOE (<i>RDD-GENETICS</i>)
Changes to source variable for query system	No
Additional details	N/A
Output categories	e3e3 e3e4 e3e2 e4e4 e4e2 e2e2 Missing/unknown/not assessed

Number of APOE e4 alleles

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCNE4S (<i>RDD-GENETICS</i>)
Changes to source variable for query system	No
Additional details	N/A
Output categories	No e4 allele 1 copy of e4 allele 2 copies of e4 allele Missing/unknown/not assessed

Participant or family has known AD mutation (APP, PS1, PS2)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCAM (<i>RDD-UDS</i>)
Changes to source variable for query system	Yes
Additional details	Participant or family has known AD mutation
Output categories	APP PSEN-1 PSEN-2 Other AD mutation No mutation/unknown

Participant/family has known FTLD mutation (MAPT, PGRN, C9ORF72, FUS)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	FFTDMUT (<i>DED-UDS V3</i>) FTDPMUT (<i>DED-FTLD V2</i>)
Changes to source variable for query system	Yes
Additional details	Combines responses from FFTDMUT and FTDPMUT from the most recent visit where the variables are non-missing data.
Output categories	MAPT PGRN C9ORF72 FUS Other FTLD mutation No mutation/unknown

Genomic data/DNA samples available outside of NACC (ADGC, NIAGADS, NCRAD)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	ADGCGWAS (<i>RDD-GENETICS</i>) ADGCEXOM (<i>RDD-GENETICS</i>) NDGSGWAS (<i>RDD-GENETICS</i>) NDGSEXOM (<i>RDD-GENETICS</i>) NACCNCRD (<i>RDD-GENETICS</i>)
Changes to source variable for query system	Yes
Additional details	Indicator of whether genetic data and/or samples are available, and from where
Output categories	GWAS data available at ADGC GWAS data available at NIAGADS ExomeChip data available at ADGC ExomeChip data available at NIAGADS DNA sample available at NCRAD Total participants in UDS

CSF

CSF biomarker data available at NACC (A-beta, p-tau, t-tau)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	CSFABETA (<i>DED-CSF</i>) CSFPTAU (<i>DED-CSF</i>) CSFTTAU (<i>DED-CSF</i>)
Changes to source variable for query system	Yes
Additional details	Indicator of CSF biomarker data availability at NACC (A-beta, p-tau, t-tau)
Output categories	Yes No

IMAGING

At least one MRI available for download — by scan type

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCMRI (<i>RDD-IMAGING</i>) MRIT1 (<i>RDD-IMAGING</i>) MRIT2 (<i>RDD-IMAGING</i>) MRIFLAIR (<i>RDD-IMAGING</i>) MRIDTI (<i>RDD-IMAGING</i>)
Changes to source variable for query system	Yes
Additional details	Indicator of at least one MRI available at NACC
Output categories	No MRI available for download At least one MRI available for download, any type At least one T1 available for download At least one T2 available for download At least one FLAIR available for download At least one DTI available for download Total participants in the UDS

Longitudinal MRIs available for download — by scan type

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCMRI (<i>RDD-IMAGING</i>) MRIT1 (<i>RDD-IMAGING</i>) MRIT2 (<i>RDD-IMAGING</i>) MRIFLAIR (<i>RDD-IMAGING</i>) MRIDTI (<i>RDD-IMAGING</i>)
Changes to source variable for query system	Yes
Additional details	Indicator of longitudinal MRIs available at NACC
Output categories	No MRI available for download, or MRI available for download but not available longitudinally Longitudinal MRIs available for download, any type Longitudinal T1 available for download Longitudinal T2 available for download Longitudinal FLAIR available for download Longitudinal DTI available for download Total participants in the UDS

Calculated summary MRI volume data available — at least one visit, longitudinal

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCMVOL (<i>RDD-IMAGING</i>)
Changes to source variable for query system	Yes
Additional details	Indicator of calculated summary MRI volume data available (calculations done by IDeA Lab at University of California, Davis)
Output categories	Calculated summary MRI volume data available for at least one visit Longitudinal calculated summary MRI volume data available Calculated summary data not available Total participants in the UDS

Calculated summary MRI volume data available – by volume type

Cross-sectional or visit-based	Cross-sectional			
Source variable(s)	CSFVOL	LFUS	RPRECUN	LMEDORBM
Source document: all from RDD-ID	GRAYVOL	RFUS	LROSANC	RMEDORBM
	WHITEVOL	LINFPAR	RROSANC	LMIDTEMM
	WMHVOL	RINFPAR	LROSMF	RMIDTEMM
	NACCBENV	LINFTEMP	RROSMF	LPARCENM
	NACCICV	RINFTEMP	LSUPFR	RPARCENM
	NACCWMVL	LINSULA	RSUPFR	LPARHIPM
	CEREALL	RINSULA	LSUPPAR	RPARHIPM
	CERETISS	LISTHC	RSUPPAR	LPARSOPM
	CERECFS	RISTHC	LSUPTM	RPARSOPM
	CEREGR	LLATOCC	RSUPTM	LPARORBM
	CEREWH	RLATOCC	LSUPMAR	RPARORBM
	LHIPPO	LLATORBF	RSUPMAR	LPARTRIM
	RHIPPO	RLATORBF	LTRTEM	RPARTRIM
	HIPPOVOL	LLING	RTRTEM	LPERCALM
	LLATVENT	RLING	LCACM	RPERCALM
	RLATVENT	LMEDORBF	RCACM	LPOSCENM
	LATVENT	RMEDORBF	LCMFM	RPOSCENM
	THIRVENT	LMIDTEMP	RCMFM	LPOSCINM
	LFRICORT	RMIDTEMP	LCUNM	RPOSCINM
	RFRICORT	LPARCEN	RCUNM	LPRECENM
	FRCORT	RPARCEN	LENTM	RPRECENM
	LOCCORT	LPARHIP	RENTM	LPRECUNM
	ROCCORT	RPARHIP	LFUSM	RPRECUNM
	OCCORT	LPARSOP	RFUSM	LROSANCM
	LPARCORT	RPARSOP	LINFARM	RROSANCM
	RPARCORT	LPARORB	RINFARM	LROSMFM
	PARCORT	RPARORB	LINFTEMM	RROSMFM
	LTEMPCOR	LPARTRI	RINFTEMM	LSUPFRM
	RTEMPCOR	RPARTRI	LINSULAM	RSUPFRM
	TEMPCOR	LPERCAL	RINSULAM	LSUPARM
	LCAC	RPERCAL	LISTHCM	RSUPARM
	RCAC	LPOSCEN	RISTHCM	LSUPTM
	LCMF	RPOSCEN	LLATOCCM	RSUPTM
	RCMF	LPOSCIN	RLATOCCM	LSUPMARM
	LCUN	RPOSCIN	LLATORBM	RSUPMARM
	RCUN	LPRECEN	RLATORBM	LTRTEMM
	LENT	RPRECEN	LLINGM	RTRTEMM
	RENT	LPRECUN	RLINGM	
Changes to source variable for query system	Yes			
Additional details	Calculated summary MRI volume data available by volume type (calculations done by IDeA Lab at University of California, Davis)			
Output categories	Gross brain volumes Regional gray matter volumes Regional cortical thicknesses			

Age at first MRI available for download

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCMRIA (<i>RDD-IMAGING</i>)
Changes to source variable for query system	Yes
Additional details	Birth month and birth year are required elements in the UDS; however, birth day is not collected. To calculate age at MRI, birth day is set to 1 for all UDS participants, and NACCMRIA is computed as MRI date minus birth date.
Output categories	<60 60-69 70-79 80-89 ≥90

At least one amyloid PET available for download

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	Created for query system
Changes to source variable for query system	Not applicable
Additional details	N/A
Output categories	Yes No

NEUROPATHOLOGY DATA

Neuropathology data available

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCAUTP (<i>RDD-UDS</i>)
Changes to source variable for query system	No
Additional details	N/A
Output categories	Yes No — deceased, no autopsy data Not applicable, participant not deceased

Alzheimer's disease neuropathology present

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCNEUR (<i>RDD-NP</i>) NACCBRAA (<i>RDD-NP</i>)
Changes to source variable for query system	Yes
Additional details	Combines data from variables NACCNEUR (density of neocortical neuritic plaques, or C score) and NACCBRAA (Braak stage for neurofibrillary degeneration, or B score) to determine presence of Alzheimer's disease neuropathology (moderate to frequent neuritic plaques and Braak stage III-VI)
Output categories	Yes No Not assessed/missing/unknown Deceased, no autopsy data Participant not deceased

Thal phase (A score)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NPTHAL <i>(RDD-NP)</i>
Changes to source variable for query system	Yes
Additional details	Thal phase for amyloid plaques (A score)
Output categories	Phase 0 (A0) Phase 1 (A1) Phase 2 (A1) Phase 3 (A2) Phase 4 (A3) Phase 5 (A3) Not assessed/missing/unknown Deceased, no autopsy data Participant not deceased

Braak neurofibrillary stage (B score)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCBRAA <i>(RDD-NP)</i>
Changes to source variable for query system	Yes
Additional details	Braak stage for neurofibrillary degeneration (B score)
Output categories	Stage 0, AD-type neurofibrillary degeneration not present (B0) Stage I (B1) Stage II (B1) Stage III (B2) Stage IV (B2) Stage V (B3) Stage VI (B3) The presence of tauopathy (other than aging/AD) precludes Braak staging Not assessed/missing/unknown Deceased, no autopsy data Participant not deceased

Neuritic plaque score (C Score)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCNEUR <i>(RDD-NP)</i>
Changes to source variable for query system	Yes
Additional details	Density of neocortical neuritic plaques (CERAD score) (C score)
Output categories	No neuritic plaques (C0) Sparse neuritic plaques (C1) Moderate neuritic plaques (C2) Frequent neuritic plaques (C3) Not assessed/missing/unknown Deceased, no autopsy data Participant not deceased

Alzheimer's disease neuropathology change (ADNC score)

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NPADNC <i>(RDD-NP)</i>
Changes to source variable for query system	Yes
Additional details	NIA-AA Alzheimer's disease neuropathologic change (ADNC) (ABC score)
Output categories	Not AD Low ADNC Intermediate ADNC High ADNC Not assessed/missing/unknown Deceased, no autopsy data Participant not deceased

Cerebrovascular pathology — by type

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCAMY <i>RDD-NP</i> NACCINF <i>RDD-NP</i> NACCMICR <i>RDD-NP</i> NACCHEM <i>RDD-NP</i> NACCARTE <i>RDD-NP</i> NACCNEC <i>RDD-NP</i> NACCAVAS <i>RDD-NP</i> NPART <i>RDD-NP</i> NPOANG <i>RDD-NP</i> NPVOTH <i>RDD-NP</i> NPWMR <i>RDD-NP</i> NPPATH <i>RDD-NP</i>
Changes to source variable for query system	Yes
Additional details	Indicates the presence of cerebrovascular pathologies
Output categories	Cerebral amyloid angiopathy Infarcts and lacunes Microinfarcts Hemorrhages and microbleeds Arteriolosclerosis Laminar necrosis Other vascular pathology No vascular pathology Total UDS participants with NP data Total UDS participants without NP data

Hippocampal sclerosis

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NPHIPSCL <i>(RDD-NP)</i> NPSCL <i>(RDD-NP)</i>
Changes to source variable for query system	Yes
Additional details	Combines data from NPHIPSCL (hippocampal sclerosis (CA1 and/or subiculum)) and NPSCL (medial temporal lobe sclerosis present (including hippocampal sclerosis)) to determine presence of hippocampal sclerosis.
Output categories	Yes No Not assessed/ missing/unknown Deceased, no autopsy data Participant not deceased

Lewy body disease pathology — by region

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCLEWY <i>(RDD-NP)</i>
Changes to source variable for query system	Yes
Additional details	Presence of Lewy body disease pathology
Output categories	No Lewy body pathology Brainstem-predominant Limbic (transitional) or amygdala-predominant Neocortical (diffuse) Lewy bodies present, but region unspecified or found in the olfactory bulb Not assessed/missing/unknown Deceased, no autopsy data Participant not deceased

FTLD neuropathology — by type

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCPICK <i>(RDD-NP)</i> NACCCBD <i>(RDD-NP)</i> NACCPROG <i>(RDD-NP)</i> NPFRONT <i>(RDD-NP)</i> NPPTAU <i>(RDD-NP)</i> NPFTD <i>(RDD-NP)</i> NPFTDNO <i>(RDD-NP)</i> NPALSMND <i>(RDD-NP)</i> NPFTDSPC <i>(RDD-NP)</i>
Changes to source variable for query system	Yes
Additional details	Combines data from the following to determine presence of FTLD neuropathology: <ul style="list-style-type: none">• NACCPICK (Pick's, or PiD)• NACCCBD (corticobasal degeneration, or CBD)• NACCPROG (progressive supranuclear palsy, or PSP)

- NPFRONT (frontotemporal dementia and parkinsonism with tau-positive or argyrophilic inclusions)
- NPTAU (other tauopathy)
- NPFTD (FTD with ubiquitin-positive or tau negative inclusions)
- NPFTDNO (FTD with no distinctive histopathology present)
- NPALSMND (ALS/motor neuron disease, or MND)
- NPFTDSPC (FTD not otherwise specified present)

Output categories	FTLD-tau FTLD-TDP FTLD-other Total UDS participants with NP data Total UDS participants without NP data
-------------------	---

No major neuropathologic change present

Cross-sectional or visit-based	Cross-sectional
Source variable(s) (source document(s))	NACCBRRN (<i>RDD-NP</i>)
Changes to source variable for query system	Yes
Additional details	No major neuropathologic change present is defined as meeting all of the following criteria: <ul style="list-style-type: none"> • Braak stage 0 (AD-type neurofibrillary degeneration not present), I, or II • No amyloid pathology • No or mild vascular pathology • No Lewy bodies • No other pathology (e.g., FTLD-TDP, FTLD-tau, tangle-only dementia, prion disease, etc.)
Output categories	Yes No At least one required variable is not assessed/missing/unknown Deceased, no autopsy data Participant not deceased