FOLLOW-UP VISIT PACKET UNIFORM DATA SET (UDS) VERSION 4.0



Form B5: BEHAVIORAL ASSESSMENT - Neuropsychiatric Inventory Questionnaire (NPI-Q1)

ADRC:	PTID: Form date: _	/_	/_		Vis	it #:		Exami initial:		
Lang	ge: Mode: Key (remote reason): $1=Too\ cognitively\ impaired$ lish \Box 1 In-person $2=Too\ physically\ impaired$			Key (not completed reason): 95=Physical problem 96=Cognitive/behavioral problem 97=Other 98=Verbal refusal						
INSTRUCTIONS : This form is to be completed by the clinician or other trained health professional based on co-participant interview, as described by the training video. (This is not to be completed by the participant as a paper-and-pencil self-report.) For information on NPI-Q Interviewer Certification, see UDS Coding Guidebook , Form B5 . Check only one box for each category of response.										
Please answer the following questions based on changes that have occurred since the participant first began to experience memory (i.e., cognitive) problems. Select 1=Yes only if the symptom(s) has been present in the last month . Otherwise, select 0=No. (NOTE: for the UDS, please administer the NPI-Q to all participants.) For each item marked 1=Yes, rate the SEVERITY of the symptom (how it affects the participant):										
1= Mild (noticeable, but not a significant change) 2= Moderate (significant, but not a dramatic change) 3= Severe (very marked or prominent; a dramatic change)										
1. NPI CO-PARTICIPANT: 1 Spouse 2 Child 3 Other (SPECIFY): SEVERITY										
			Yes	No	Unk			Mod		Unk
2.	Delusions – Does the patient have false beliefs, such as thinking that others are stealing from him/her or planning to harm him/her in some way?	2a.	□ 1	□о	□ 9	2b.	□ 1	□ ₂	□ 3	□ 9
3.	Hallucinations – Does the patient have hallucinations such as false visions or voices? Does he or she seem to hear or see things that are not present?	3a.	□ 1	По	□ 9	3b.	□ 1	□ ₂	□ 3	<u> </u>
4.	Agitation/Aggression – Is the patient resistive to help from others at times, or hard to handle?	4a.		О	□ 9	4b.		\square_2	□ 3	□ 9
5.	Depression/Dysphoria – Does the patient seem sad or say that he/she is depressed?	5a.	□ 1	О	<u></u> 9	5b.		\square_2	\square_3	□ 9
6.	Anxiety – Does the patient become upset when separated from you? Does he/she have any other signs of nervousness such as shortness of breath, sighing, being unable to relax, or feeling excessively tense?	6a.	□ 1	О	<u> </u>	6b.	□ 1		□ 3	□ 9
7.	Elation/Euphoria – Does the patient appear to feel too good or act excessively happy?	7a.	□ 1	О	<u> </u>	7b.		□ 2	□ 3	<u> </u>
8.	Apathy/Indifference – Does the patient seem less interested in his/her usual activities or in the activities and plans of others?	8a.	□ 1	О	<u></u> 9	8b.		2	□ 3	<u> </u>
9.	Disinhibition – Does the patient seem to act impulsively, for example, talking to strangers as if he/she knows them, or saying things that may hurt people's feelings?	9a.		О	□ 9	9b.	□ ₁	□ ₂	□ 3	<u> </u>
10.	Irritability/Lability – Is the patient impatient and cranky? Does he/she have difficulty coping with delays or waiting for planned activities?	10a.		О	<u> </u>	10b.	□ 1	□ ₂	Пз	□ 9
11.	Motor disturbance – Does the patient engage in repetitive activities such as pacing around the house, handling buttons, wrapping string, or doing other things repeatedly?	11a.		О	□ 9	11b.	□ ₁	□ ₂	\square_3	<u></u> 9
12.	Nighttime behaviors – Does the patient awaken you during the night, rise too early in the morning, or take excessive naps during the day?	12a.	□ 1	О	<u> </u>	12b.	□ 1	□ 2	Пз	<u> </u>
13.	Appetite/Eating – Has the patient lost or gained weight, or had a change in the type of food he/she likes?	13a.	□ 1	О	<u> </u>	13b.	□ 1	□ 2	□ 3	<u></u> 9
¹Copyright© Jeffrey L. Cummings, MD. Reproduced by permission.										

NATIONAL ALZHEIMER'S COORDINATING CENTER naccmail@uw.edu naccdata.org